EAST Search History

#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 08:06
S2	2		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 08:32
S3	3		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 10:17
54	1	((*4928627*).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 10:20
S5	1	(*4293326*).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 10:23
S6	20	("2651585" "2953483" "3632429" "4123244"). FN. OR ("4293326"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 10:26
S7		"5136975" "5221556" "5232508" "5269847" "5328722" "5336326" "5391232" "5411590" "5453124" "5456740" "5487784" "5653808").PN	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 10:36
S8	12405	(Metal with oxide) and (vapor or water or steam or "h.sub.2o") and (heat\$3 or cur\$3 or anneal\$3)	EPO; JPO; DERWENT	OR	OFF	2008/03/31 11:25
S9	4380		EPO; JPO; DERWENT	OR	OFF	2008/03/31 11:25
S10	878	(Metal with oxide with film) same (vapor or water or steam or "h.sub.2o") same (heat\$3 or cur\$3 or anneal\$3)	EPO; JPO; DERWENT	OR	OFF	2008/03/31 11:25
S11	35	(Metal with oxide with film) same (vapor or water or steam or "h.sub.2o") same (heat\$3 or cur\$3 or anneal\$3) and (vapor\$3 with mix\$3)	EPO; JPO; DERWENT	OR	OFF	2008/03/31 11:26
	242	(Metal with oxide with film) same (vapor or water or steam or "h.sub.2o") same (heat\$3 or cur\$3 or anneal\$3) and (vapor\$3 with mix\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 11:30
S13	35	shimosaki-shinji or ogasawara-tadashi or nagaoka-sadanobu or masaki-yasuhiro.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 11:38
S14	346		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 11:38

315	5	S14 and (metal with oxide) and (vapor with deposit\$3) and (calcinat\$4 or heat\$3 or cure\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 11:46
516	302	(sumitomo with titanium).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 11:48
517	5	S16 and (metal with oxide) and (vapor with deposit\$3) and (calcinat\$4 or heat\$3 or cure\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 11:49
318	339	(Metal with oxide with (film or layer)) same (vapor or water or steam or "h.sub.20") same (heat\$3 or cur\$3 or anneal\$3) and (vapor\$3 with mix\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 12:17
19	6	(("2,529,076") or ("2,529,077") or ("2,529,079")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 12:50
20	7	(("2,529,076") or ("2,529,077") or ("2,529,079")).PN.	EPO; JPO; DERWENT	OR	OFF	2008/03/31 12:51
21	8	(("3,852,098") or ("4,182,783") or ("4,188,199") or ("4,230,271")).PN.	EPO; JPO; DERWENT	OR	OFF	2008/03/31 12:52
22	12	;(("3,852,098") or ("4,182,783") or ("4,188,199") or ("4,230,271")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/31 12:53
23	32	;("3081200" "3598635" "3852098" "4125391" "4182783" "4188199" "4217392" "4325988" "4330318" "4344986"). PN. OR ("4397671"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 12:53
24	32	;("2724658" "3004875" "3019136" "3021227" "3080643" "3632406" "3876450" "4018631" "4022601"), PN. OR ("4188199"), URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 13:22
25	18	("3516811" "3926604" "4188199").PN. OR ("4261722").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 13:50
26	20838	((118/718,715) or (427/248.1,109,110,228,227,166,229,250,252,255.19,255.23,255.27,255.28,255.31,255.32,255.35,255.36,255.11-255.7,372.2,376.3,383.1) or (65/60.1,60.5)).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 14:09
27	241	(Metal with oxide with film) same (vapor or water or steam or "h.sub.2o") same (heat\$3 or cur\$3 or anneal\$3) and \$26	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 14:09
28	865	((Metal or Titanium or Ti) with oxide) same (vapor or water or steam or "h.sub.20") same (heat\$3 or cur\$3 or anneal\$3) and \$26	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 14:26
29	18	((Metal or Titanium or Ti) with oxide) same (vapor or water or steam or "h.sub.2o") same (heat\$3 or cur\$3 or anneal\$3) same (film or layer) and (glass with ribbon) and \$26	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 14:27
330	599	((Metal or Titanium or Ti) with oxide) same (vapor or water or steam or "h.sub.2o") same (heat\$3 or cur\$3 or anneal\$3) same (film or layer) and \$26	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 14:30

331	265	\$26	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 14:31
332	265	((Metal or Titanium or Ti) with oxide with film) same (vapor or water or steam or "h.sub.2o") same (heat\$3 or cur\$3 or anneal\$3) and \$26	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 14:31
33	16	(**6204202" "6214746" "6270846").PN. OR ("6465052").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 14:36
34	5	\$26	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 14:42
35	7	((Metal or Titanium or Ti) with oxide with film) same (vapor or water or steam or "h.sub.20") same (heat\$3 or cur\$3 or anneal\$3) and photocataly\$3 and \$26	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 14:46
36	1	(*6074981").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 14:58
37	50	or ("4145224") or ("5064632") or ("6254940") or ("6254964") or ("6255209") or ("6255216") or ("6268019") or ("6284316") or ("6284865") or ("6291052")	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 15:01
38	20		US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 15:04
39	64	((Metal or Titanium or Ti) with oxide) same (vapor or water or steam or "h.sub.20") and (heat\$3 or cur\$3 or anneal\$3) and photocataly\$3 and \$26	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/31 15:04
40	726		EPO; JPO; DERWENT	OR	OFF	2008/03/31 15:25
41	232		EPO; JPO; DERWENT	OR	OFF	2008/03/31 15:26
42	2		US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2008/03/31 16:27
43	0		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 16:28
44	0		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/31 16:28
45	20844	((118/718,715) or (427/248.1,109,110,228,227,166,229,250,252,255.19,255.23,255.27,255.28,255.31,255.32,255.35,255.36,255.11-255.7,372.2,376.3,383.1) or (65/60.1,60.5)). CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 07:29
46	27	((Metal or Titanium or Ti) with oxide) same (vapor or water or steam or "h.sub.20") and (heat\$3 or cur\$3 or anneal\$3) and photocataly\$3 and (Titanium with chloride or ("ticl.sub.4")) and S45	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 07:29

S47	469	((Metal or Titanium or Ti) with oxide) same (vapor or water or steam or "h.sub.2o") and (heat\$3 or cur\$3 or anneal\$3) and photocataly\$3 and (Titanium with chloride or ("ticl.sub.4"))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 07:30
S48	25	((Titanium or Ti) with oxide) same (vapor or water or steam or "h.sub.2o") and (heat\$3 or cur\$3 or anneal\$3) and photocataly\$3 and (Titanium with chloride or ("ticl.sub.4")) and S45	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 07:32
S49	414	((Titanium or Ti) with oxide) same (vapor or water or steam or "h.sub.2o") and (heat\$3 or cur\$3 or anneal\$3) and photocataly\$3 and (Titanium with chloride or ("ticl.sub.4"))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 07:32
S50	33	((*4329379" "4351267" "4751149" "4878934" "4971843" "4997576" "5041150" "5194161" "5256616" "5308458" "5393593" "5505989" "5514454" "5580364" "5853866" "5939194" "5980983" "6013372" "6027766" "6027797" "6037289" "6054227" "6090489"). PN. OR (*6238738"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 07:36
S51	19	(("2344911" "3145183" "3864142" "4424320" "4482643" "4904518" "5587349" "5693134" "5753025" "5753371" "5811192").PN. OR ("5919726").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 07:41
S52	32	((Titanium or Ti) with oxide) same (vapor or water or steam or "h.sub.2o") and (heat\$3 or cur\$3 or anneal\$3) and photocataly\$3 and (Titanium with chloride or ("ticl.sub.4"))	EPO; JPO; DERWENT	OR	OFF	2008/04/01 08:16
S53	7	((Titanium or Ti) with oxide) same (vapor or water or steam or "h.sub.2o") and reverse with direction	EPO; JPO; DERWENT	OR	OFF	2008/04/01 10:15
S54	10	(Metal with oxide with film) same (reverse with direct\$3)	EPO; JPO; DERWENT	OR	OFF	2008/04/01 10:20
S55	52	photocataly\$3 same reverse same (film or layer)	EPO; JPO; DERWENT	OR	OFF	2008/04/01 10:23
 S56	50	;("2332309" "2724658" "3008447" "3660061" "3684469" "3925050" "4019887" "4022601").PN. OR ("4123244").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 10:25
S57	20	("2651585" "2953483" "3632429" "4123244").PN. OR ("4293326").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 10:27
S58	10	(Metal with oxide with film) same ((reverse or opposite) with (spray\$3 or inject\$3))	EPO; JPO; DERWENT	OR	OFF	2008/04/01 11:37
S59	49	(Metal with oxide with film) same ((reverse or opposite) with (spray\$3 or inject\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 11:42
S 60	3811	(inject\$3 or spray\$3) with (web\$3 or substrate) with (opposite or reverse)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 12:49
S61	21853	((118/718,715) or (427/248.1,109,110,228,227,166,229,250,252,255.19,255.23,255.27,255.28,255.31,255.32,255.35,255.36,255.11-255.7,372.2,376.3,383.1,424,255.5) or (65/60.1,60.5)).OQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 12:58
S62	87	S60 and S61	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 13:00
563	2	("3689304"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 13:41
 364	2	("0188962").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 13:45
S65	831	(inject\$3 or spray\$3) with (web\$3 or substrate) with (opposite or reverse)	EPO; JPO; DERWENT	OR	OFF	2008/04/01 13:46

S67	0	(Metal with oxide with film) same (slot) same nozzle\$3	EPO; JPO; DERWENT	OR	OFF	2008/04/01 14:27
S68	3	(Metal with oxide with film) and (slot) same nozzle\$3	EPO; JPO; DERWENT	OR	OFF	2008/04/01 14:28
		(("3850679") or ("3888649") or ("3942469")).P N .	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 14:33

^{4/2/2008 8:17:34} AM

 $C. \label{locuments} LAST \ Work spaces \ 10564015. wsp$